PREDATOR 92 SPORT


STYLE: PERFORMANCE MOTORYACHT

ACCOMMODATION: UP TO 8 GUESTS AND 4 CREW MEMBERS


PERFORMANCE: UP TO 35 KNOTS

UNIQUELY POSITIONING THE PREDATOR 92 SPORT WITHIN THIS RANGE, A SLEEK FLYBRIDGE AS STANDARD HAS BEEN INCORPORATED WITHOUT BREAKING THE SERIES' DISTINCTIVE STYLING. OF COURSE, THE HELM STATION BELOW REMAINS THE NERVE CENTRE OF OPERATIONS, BUT THIS ADDITION IS A GOOD RESULT, BOTH IN TERMS OF DESIGN ACHIEVEMENT AND EXTENDING ENJOYMENT FOR HELM AND COMPANIONS SHOOTING THE BREEZE FROM UP HIGH. ON THE LOWER DECK THERE ARE OPTIONAL ARRANGEMENTS INCLUDING A CENTRAL OR CORNER-BEDDED FULL BEAM MASTER STATEROOM. THE ACCOMMODATION SPACE AFT OF THE ENGINE ROOM CAN BE VARIOUSLY PLANNED FOR CREW AND/OR WORKSHOP PLUS LAUNDRY, OR AS PRIVATE QUARTERS.






Main deck



Lower deck



Other layout options available

PRINCIPAL CHARACTERISTICS

Length overall – (incl. platform and pulpit)	28.15m	92'4"		
Length waterline – (@ half load)	20.99m	68'10"		
Beam – (maximum)	6.34m	20'10"		
Height above waterline – (@ light load)	6.50m	21'4"		
Draft – (maximum @ full load)	1.98m	6'6"		
Displacement – (@ half load)	68400kg	150480lb		
Fuel capacity	8500 litres	1870 GB gal.	2245 US gal.	
Fresh-water capacity	1500 litres	330 GB gal.	396 US gal.	
Propulsion	Twin FP props in semi-tunnels			

Engine options	up to 4868 PS (total)
Fuel options	Diesel
Generators	2 x 23kW @ 50Hz (Euro) 2 x 28kW @ 60Hz (US)
Maximum speed	up to 35 knots*
Cruising speed	up to 23 knots*
Range	up to 450 nautical miles*

All principal characteristics and specifications are provisional.





PRFDATOR 92 SPORT

PRINCIPAL FEATURES

Built to European specification 220v single phase 50Hz

Built to USCG Regulations 220v/110v single phase 60Hz

Foredeck with seating and sunbathing area Mini flybridge area with helm position Garage for optional tender and let bike Fixed bathing platform

Hot and cold swim shower

Wetbar with ice maker, cool chest, sink and ceramic griddle

Radar, chartplotter and GPS navigator

Autopilot

Power-assisted steering

Electronic speed log, depth sounder and VHF radio

Trim tabs

Hydraulic bow thruster (30hp)

Hydraulic stern thruster (30hp)

Flatscreen TVs in all guest cabins and crew mess

Surround sound system for deck saloon and aft master stateroom

Ceramic hob, microwave combination oven, refrigerator, freezer and slimline dishwasher

Hot and cold water system

Automatic fire extinguishing system for engine room

Automatic bilge pumps

Slow speed generators with underwater silent exhaust

AC shore power/battery charger

All cabin air-conditioning

Remote control spotlight

Electric winch with foredeck control

Toilet system with holding tank

Fresh-water marina connection

Teak cockpit, bathing platform and steps

Teak side decks Crew quarters

Antifouling

All items included in standard specification.

US specification includes: Upgraded generators US Coast Guard build regulations US specification appliances

- 1. Helm station
- 2. The Predator 92 Sport
- 3. The Predator 92 Sport
- 4. Main deck saloon
- 5. Forward stateroom 6. Owner's stateroom

STANDARD SPECIFICATIONS

1 Construction

Gel coat including stripes

Vinvlester skin coat with powder bound mat Stitched multi axial single skin hull bottom

Balsa and PVC foam cored hull topsides skinned with stitched multi axials

PVC foam cored deck

Longitudinally stiffened with foam formers over laminated with stitched multi axials

Transversely stiffened with GRP ring frames, marine ply and sandwich bulkheads

Superstructure PVC foam cored and skinned with stitched multi axials

Superstructure stiffened with foam formers over laminated with stitched multi axials

2 Deck

Fittings all in 316 stainless steel and chromed bronze Pair stainless steel bow cleats and fairleads

Three pairs of stainless steel spring cleats with chafing bars

Pair stainless steel stern cleats and fairleads

Stainless steel pulpit and cockpit rails

Stainless steel bow roller with anchor stop and devil's claw

Stainless steel bow plate

Single electric windlass (Lewmar V8) 24v, starboard side, foredeck control only

Single electric capstan (Lewmar C4) 24v. port side. foredeck control only

Anchor 80kg claw-type (galvanised)

Anchor chain 100m/328 feet (12mm diameter. galvanised)

Automatic fresh-water chain wash

Electric winch including warping drum with foredeck controls

Fresh-water deckwash with outlets forward and aft

Chain locker and fender stowage

Curved direct glazed safety glass windscreen

Pantograph windscreen wipers and washers

Fuel filler on port and starboard sides

Fresh-water filler

IMCO navigation lights

Remote controlled spotlight at bow

Low level courtesy lights on side decks 24v

Bow seat and sunbathing pad

Built in U shaped seating area foredeck

Table for U shaped seating area at foredeck

Skylight from VIP Stateroom

Teak laid sidedecks

3 Aft cockpit

Teak laid self draining cockpit floor

Stairs to flybridge on starboard side with teak treads

Aft bench seating Aft facing bench seat

Teak tables with folding leaves on GRP base

Aft sunpad

Wetbar on port side with sink

Refrigerator in wetbar

Ice maker in wetbar

Electric ceramic griddle AC in wetbar

Stainless steel stern safety gates

Engine room access hatch

2 x stern capstan winches (Lewmar C4) 24v and fairleads

Hydraulic telescopic gangway Overhead cockpit lights 24v

Low-level courtesy lights 24v

Two pairs marine speakers connected to flybridge CD radio system in deck saloon

Ensign staff and socket Battery switches in locker

Fire extinguisher in locker

Sliding patio doors leading to deck saloon

4 Bathing platform and stern garage

Teak laid fixed platform

Stairs to aft cockpit with teak treads

Fold out stainless steel swimming ladder Hot and cold hand held swimming shower

Fresh-water marina connection

Telephone marina connection

Dockside AC connection 1 x 100 amp Glendinning Cablemaster

Hydraulically opening garage door with access

to stern garage

Crane inside garage to launch and recover tender

5 Flybridge deck

Stairs leading from aft cockpit

Self draining cockpit with non slip finish

Acrylic deflecting spray screen

Forward sunpad

Stainless steel aft safety rails

Low level flybridge lighting 24v Two pairs marine speakers connected to CD radio

in deck saloon Deckwash outlet

Radar arch structure

6 Flybridge helm position

3 x individual helm seats

Hydraulic steering

Duplicate engine throttle controls

Combined depth and speed display (Simrad IS20) VHF radio handset (Simrad RS87 tri-station)

Manual compass Rudder indicator

Trim tab control

Horn control

Radio CD waterproof remote keypad

Waterproof plug and socket 12v

7 Boat covers

Windscreen sun screen Flybridge instrument cover

8 Deck saloon

Sofa seating area

Coffee table 2 x side tables in seating area

Bar peninsular unit

LCD flatscreen TV on rise and fall (42")

DVD/CD/radio surround sound entertainment system

I-Pod docking station connected to AV system Control head for flybridge CD/radio system

Air-conditioning

Side windows with blinds

Drinks cabinet with glassware storage for eight

(8 x Champagne, 8 x whisky, 1 x decanter) Stainless steel framed sliding patio door to aft cockpit

with curtains and tie back

Halogen overhead lighting 24v Double AC sockets

Telephone point

Table lamp Dining table

Eight free-standing dining chairs

Sensor connected to fire detection system

Fitted carpet Skylights in forward overhead area

Side opening door to port side deck

Side opening door to starboard side deck Staircase aft leading to crew quarters

Staircase forward leading to accommodation area

9 Lower helm position

Three helm seats Chart stowage area

Double AC sockets Telephone points x 2

Console with dash panels

Hydraulic power steering

Carbon fibre effect steering wheel

Radar/chartplotter with GPS (2 x Furuno NavNet vx2 displays)

Autopilot (Simrad AP28)

Depth and speed displays (Simrad IS20)

VHF radio handset (Simrad RS87 tri-station)

Manual compass

Horn control

Monitoring panel including generators control Monitoring panel for fire detection system

Trim tab controls Rudder indicator

Analogue engine instrumentation

Fresh-water gauge

Fuel gauge 12v socket

Remote spotlight control

Windscreen wipers with washers

Screen demister Fire extinguisher

10 Lower deck lobby

Staircase leading from deck saloon Halogen overhead lighting 24v

AC socket

Bilge access hatches

Doors to guest cabins

Fitted carnet

Sensor connected to fire detection system

LED feature downlighting Feature corner glass

11 Forward VIP stateroom

Double berth

Foam mattress for berth

Drawers in berth

Bedside lights

Dressing table

Stool for dressing table

Air-conditioning

LCD flatscreen TV (42")

DVD/CD player with speakers

Halogen overhead lighting 24v

Fixed portlights

Skylight with blind

Double AC sockets

Telephone point x 2 (port bedside and dressing table) Fitted carnet

Sensor connected to fire detection system

Doors to en suite and lobby

12 Forward VIP en suite

Tecma toilet 24v

Vanity top and flooring

Taps and accessories (toothbrush and glass holder.

soap dispenser, towel rails and towels) Separate shower compartment

Acrylic shower door

Air-conditioning outlet Extractor fan

Mirror

Shelved cupboard

Halogen overhead lighting 24v

Opening porthole with mosquito screen and Venetian blind Shaver socket 240/110v

Door to stateroom

13 Port guest cabin

Two single berths Foam mattresses for berths

Stowage under berths Bedside lights

Bedside unit with storage

Wardrobe

Air-conditioning

Halogen overhead lighting 24v

Opening portholes with mosquito screen and blind

Double AC sockets LCD flatscreen TV (19")

DVD/CD player with two speakers

Telephone point (beside bedside unit)

Fitted carpet

Sensor connected to fire detection system

Doors to en suite and lobby

14 Port guest en suite

Tecma toilet 24v

Vanity top and flooring Washhasin

Taps and accessories (toothbrush and glass holder. soap dispenser, towel rails and towels)

Separate shower compartment

Acrylic shower door

Extractor fan

Air-conditioning outlet

Mirror Shelved cupboard

Halogen overhead lighting 24v

Opening porthole with mosquito screen and venetian blind

Shaver socket 240/110v

Door to guest cabin

15 Starboard guest cabin

Two single berths

Foam mattresses for berths

Stowage under berths

Bedside lights

Bedside unit with storage

Wardrobe

Air-conditioning

Halogen overhead lighting 24v

Opening portholes with mosquito screen and blind

Double AC sockets

LCD flatscreen TV (19")

DVD/CD player with two speakers

Telephone point (beside bedside unit)

Fitted carnet

Sensor connected to fire detection system

Doors to en suite and lobby

16 Starboard guest en suite

Tecma toilet 24v

Vanity top and flooring Washhasin

Taps and accessories (toothbrush and glass holder.

soan dispenser towel rails and towels) Separate shower compartment

Acrylic shower door

Extractor fan

Air-conditioning outlet

Mirror

Shelved cupboard

Halogen overhead lighting 24v

Opening porthole with mosquito screen and Venetian blind

Shaver socket 240/110v Door to guest cabin

17 Master aft stateroom

Double berth

Foam mattress for berth

Drawers in berth Bedside units with storage

Bedside lights Dressing table

Foot stool for sofa/dressing table

Air-conditioning Halogen overhead lighting 24v

Table lamps x 2

Fixed and opening portholes (with mosquito screens) with blinds

Double AC sockets

Telephone points x 2 (dressing table and starboard bedside) LCD flatscreen TV (42")

DVD/CD/radio entertainment system with two speakers and sub woofer (Bose 321)

Fitted carpet

Sensor connected to fire detection system Doors to en suite, walk in wardrobe and lobby

18 Master walk-in wardrobe

Hanging rails Drawers

Shelves

Full-length mirror

Halogen overhead lighting 24v Opening porthole with mosquito screen and blind

Fitted carnet Door to stateroom

19 Master en suite

Tecma toilet 24v

Bidet

Vanity top and flooring

Washhasin Taps and accessories (toothbrush and glass holder.

soap dispenser, towel rails and towels) Separate shower compartment

Acrylic shower door

Extractor fan Air-conditioning outlet

Mirrors

Halogen overhead lighting 24v

Opening porthole with mosquito screen and Venetian blind

Shaver socket 240/110v Door to stateroom

20 Gallev and crew mess

Stairs leading from deck saloon

Safety flooring

American style fridge, freezer with ice maker AC Four ring ceramic hob AC Hob extractor AC

Slimline dishwasher AC Washer/dryer AC Stainless steel sink

Tap with hot and cold water Rubbish bin

Chinaware with stowage (8 settings)

Cutlery (8 settings) Storage consisting of cupboards, drawers and

ton-hox lockers Halogen overhead lighting 24v

Lighting under top box lockers Double AC sockets

Telephone point Fire extinguisher

Fire blanket

First aid kit Sensor connected to fire detection system

Sofa seating area Table with folding leaf

LCD flatscreen TV (19") DVD/CD player with two speakers

Doors leading to crew cabins

European specification only: Microwave/oven AC USA specification only: Oven AC

USA specification only: Small microwave AC

21 Aft port crew cabin

Twin bunk berths with foam mattresses

Air-conditioning

Halogen overhead lighting 24v Double AC socket

Telephone point

Bedside lights Opening porthole with mosquito screen and curtains

Radio/CD player with two speakers

Fitted carpet Sensor connected to fire detection system

Door to galley/crew mess and crew en suite

22 Forward port crew cabin Twin bunk berths with foam mattresses

Air-conditioning Halogen overhead lighting 24v

Double AC socket

Telephone point Bedside lights

Opening porthole with mosquito screen and curtains

Radio/CD player with two speakers

Fitted carpet Sensor connected to fire detection system Door to galley/crew mess and crew en suite

23 Crew en suite Tecma toilet 24v

Wachhaein

Shower cubicle

Mirror

Vanity unit

Halogen overhead lighting 24v Shaver socket 240/110v

Doors leading to crew cabins

24 Engine compartment and ancillaries Soundproofing throughout

Fuel filters/water separators to engines Fuel filters/water separators to generators

FM200 manual/automatic fire extinguishing system

combined with engines, generators and fans shutdown. 2 x extractor fans AC Automatic bilge pumps combined with high level alarm

Strainers to all raw water inlets

Sensor connected to fire detection system

25 Electrical system European specification only: 2 x 23kW slow speed Kohler

generators with underwater silent exhaust USA specification only: 2 x 28kW slow speed Kohler generators with underwater silent exhaust Dockside AC connection 1 x 100 amp Glendinning

24v and 12v DC electrical system with full circuit breaker protection

4 x domestic batteries 24v circuit 8 x engine batteries 24v circuit

Alternator split charging system

Remote battery switches controlled from locker in cockpit 95 amp battery charger for 24v circuit

20 amp battery charger for 12v circuit 2 x 2kW immersion heaters for each calorifier

AC sockets throughout the boat Fire detection system with monitoring panel beside

lower helm 26 Underwater gear

5 blade NAB bronze propellers

Bronze (MB2) P brackets 90mm Temet 25 propeller shafts

Self aligning shaft seal with spare seal

High performance bronze rudders and struts Seacocks on all underwater fittings

Full cathodic bonding system to zinc anodes Hydraulic bow thruster (30hp sequential operation)

Hydraulic stern thruster (30hp sequential operation) Hydraulic trim tabs

Antifouling

27 Systems

Hydraulic power steering 24v Electric toilet system (Tecma 24v) with two switch control Toilets discharging overboard or to black-water tank

Black waste water tank discharging to dockside or

overboard (24v) macerator pump Washbasins, showers, air-conditioning fans units

discharging to grey-water sump Aluminium fresh-water tank with electric sending unit

Integral GRP fuel tank with electric sending unit Water pressure system (24v) Hot water circulating pump AC

2 x 150 litre calorifiers, each with 2 x 2kW immersion Chilled water air-conditioning system (reverse cycle) AC Automatic bilge pumping to all watertight compartments

combined with high level alarm (24v)

28 Miscellaneous

Toolkit

Retractable hoat hook

6 x docking lines (6 x 15m, 20mm diameter, black)

1 x tender line (1 x 10m, 10mm diameter, black) 8 x fenders (F7, 15" x 41", white)

8 x fender lines (8 x 3.5m, 10mm diameter, black)

Stainless steel flagstaff with line Pennant mast with pennant flag

Mosquito screens for all openable portlights 12 x towel sets

First aid kit Fire blanket Deckwash fitting and hose reel

Vacuum cleaner US specification includes:

US Coast Guard build regulations

US specification appliances

Upgraded generators

2 x generator batteries 12v circuit

Cablemaster

Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice.
The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or

agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer.



Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

Naval architects
Don Shead/Sunseeker Design

Exterior styling Sunseeker Design

Interior design Sunseeker Design

Builder Sunseeker International

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees and entiters used be relied upon. The photographs and artist's impressions in this is brochure are of existing models only and should not be relied upon and may refer to models only intended for said included in the standard inventory of the models shown. Specifications contained on the web site are samples so noly and should not be relied upon and may refer to models only intended for said given that are likely to be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by subsidiarior or other related entities of Sunseeker International Limited, or any subsidiarior or other related entities of Sunseeker International Limited or any purchaser and these terms should be taken to mean Sunseeker International Limited. In some examples herein Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.